

M.Z.

Refine Search

Search Results -

Term	Documents
SERVER	264391
SERVERS	125649
ID	371224
IDS	50533
ESN	3028
ESNS	261
IMEI	1182
IMEIS	50
IMSI	4009
IMSIS	210
ERROR	658785
((SERVER AND (CODE? OR IDENTI\$8 OR ID OR ESN OR IMEI OR IMSI) AND (BUG? OR ERROR) AND (RECEIV\$3 OR PROVISION\$3 OR PROVID\$3 OR REQUEST\$3) AND (LOCAT\$3 OR POSITION\$3) AND (MOBILE OR PORTABLE OR WIRELESS OR HANDSET OR UE OR MN OR MS OR SUBSCRIBER OR \$4PHONE OR CELLULAR) AND (MEMORY OR STOR\$3 OR DATABASE) AND ((STOR\$3 OR RETRIEV\$3) SAME (BUG? OR ERROR?))).CLM.).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	19

[There are more results than shown above. Click here to view the entire set.](#)

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L8	<input type="text"/>			<input type="button" value="Refine Search"/>
	<input type="button" value="Recall Text"/>		<input type="button" value="Clear"/>	<input type="button" value="Interrupt"/>

Search History

DATE: Wednesday, August 08, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set</u>	<u>Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set</u>
				<u>Name</u>
				<u>result set</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
		(server and (code? or identi\$8 or id or ESN or IMEI or IMSI) and (bug? or error) and (receiv\$3 or provision\$3 or provid\$3 or request\$3) and (locat\$3 or position\$3) and (mobile or portable or wireless or handset or UE or MN or MS or subscriber or \$4phone or cellular) and (memory or stor\$3 or database) and ((stor\$3 or retriev\$3) same (bug? or error?))).clm.		
L8		(server and (code? or identi\$8 or id or ESN or IMEI or IMSI) and (bug? or error) and (receiv\$3 or provision\$3 or provid\$3 or request\$3) and (locat\$3 or position\$3) and (mobile or portable or wireless or handset or UE or MN or MS or subscriber or \$4phone or cellular) and (memory or stor\$3 or database) and ((identi\$8 or detect\$3) with (bug? or error?))).clm.	19	<u>L8</u>
L7		(server and (code? or identi\$8 or id or ESN or IMEI or IMSI) and (bug? or error) and (receiv\$3 or provision\$3 or provid\$3 or request\$3) and (locat\$3 or position\$3) and (mobile or portable or wireless or handset or UE or MN or MS or subscriber or \$4phone or cellular) and (memory or stor\$3 or database) and ((identi\$8 or detect\$3) with (bug? or error?))).clm.	32	<u>L7</u>
L6		(server and (code? or identi\$8 or id or ESN or IMEI or IMSI) and (bug? or error) and (receiv\$3 or provision\$3 or provid\$3 or request\$3) and (locat\$3 or position\$3) and (mobile or portable or wireless or handset or UE or MN or MS or subscriber or \$4phone or cellular) and (memory or stor\$3 or database)).clm.	338	<u>L6</u>
L5		(server and (code? or identi\$8 or id or ESN or IMEI or IMSI) and (bug? or error) and request\$3 and (locat\$3 or position\$3) and (mobile or portable or wireless or handset or UE or MN or MS or subscriber or \$4phone or cellular) and (memory or stor\$3 or database)).clm.	174	<u>L5</u>
L4		(server and (code? or identi\$8 or id or ESN or IMEI or IMSI) and (bug? or error) and (locat\$3 or position\$3) and (mobile or portable or wireless or handset or UE or MN or MS or subscriber or \$4phone or cellular) and (memory or stor\$3 or database)).clm.	349	<u>L4</u>
L3		(server and (code? or identi\$8 or id or ESN or IMEI or IMSI) and (bug? or error) and (locat\$3 or position\$3) and (mobile or portable or wireless or handset or UE or MN or MS or subscriber or \$4phone or cellular)).clm.	407	<u>L3</u>
L2		(server and (code? or identi\$8 or id or ESN or IMEI or IMSI) and (bug? oterror) and (locat\$3 or position\$3) and (mobile or portable or wireless or handset or UE or MN or MS or subscriber or \$4phone or cellular)).clm.	0	<u>L2</u>
L1		((log\$3 near5 error) identi\$8 and (bug with code?)) and (locat\$3 or position\$3) and (mobile or portable or wireless or handset or UE or MN or MS or subscriber or \$4phone or cellular)).clm.	0	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

M.Z.

Search Results -

Term	Documents
LOCATION	2000382
LOCATIONS	994426
SERVER	512532
SERVERS	147463
DATABASE	792888
DATABASES	2
DATABASES	131220
SERVICE	1078978
SERVICES	392892
PROVIDER	150942
PROVIDERS	79513
(L6 AND (LOCATION NEAR5 (SERVER OR DATABASE OR SERVICE OR PROVIDER OR PROVISION\$3))).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	30

[There are more results than shown above. Click here to view the entire set.](#)

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Wednesday, August 08, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

Set
Name
side by

Query

Set
Name
result

Hit
Count

side		set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<u>L7</u>	l6 and (location near5 (server or database or service or provider or provision\$3))	30 <u>L7</u>
<u>L6</u>	L4 and (error with (stor\$3 or memory or database))	135 <u>L6</u>
<u>L5</u>	L4 and (error with (stor\$3 or memory or database))	0 <u>L5</u>
<u>L4</u>	L3 same (type or identifier or identification or id or code)	224 <u>L4</u>
<u>L3</u>	error with (location near7 request\$3)	670 <u>L3</u>
<u>L2</u>	L1 same ((identi\$8 or determin\$3) with (type near8 (mobile or portable or equipment or terminal or MS or UE or MN or wireless or cellular or \$4phone or subscriber or wireless)))	7 <u>L2</u>
<u>L1</u>	(erroneous\$3 or error?) with ((request\$3 or reception or receiv\$3 or provision\$3 or provid\$3) with (locat\$3 or position\$3))	7741 <u>L1</u>

END OF SEARCH HISTORY

EAST Search History

M. Z.

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	240333	"455"/("2.01", "403", "404.2", "410-411, "412.1", 415-417, "422.1", 423-425, "432.3", 433-434, "435.1", "456.1-456.6", "457", "461", "466", 514-519, "550.1", "554.2", "556.2", "558").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 11:24
L2	320491	"370"/("313", 332-333, 349-350).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 11:25
L3	100848	"709"/("203", "219", 228-229).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 11:30
L4	516665	"340"/("5.1-5.25", "5.65", "5.7", "5.74", "5.80-5.86").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 11:35
L5	933059	I1 or I2 or I3 or I4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 11:36
L6	2030	(Qualcomm adj Incorporated) .AS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 11:36
L7	5	(Jha-Anjali).IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 11:37
L8	78	(Grilli-Francesco).IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 11:37

EAST Search History

L9	81	I7 or I8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 11:37
L10	1320	(request\$3 near7 locat\$3) with (bug or error or (error near3 code) or (improper near3 identif\$7) or (invalid near3 identif\$7) or security or (personal near3 security) or (unauthoriz\$5 near3 personnel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 13:00
L11	51	I10 same ((server or manag\$5) with (locat\$3 near9 service))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 11:44
L12	1	I9 and I11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 11:45
L13	0	I6 and I11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 11:45
L14	13	I5 and I11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 11:45
L15	132030	"714"/(6-7, "35", 47-54, "57", 746-769).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 12:58
L16	275814	"380"/("43", "267", "258", "264", "270").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 12:59

EAST Search History

L17	165166	"701"/(200-217).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 12:59
L18	424526	l14 or l16 or l17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 12:59
L19	13	l11 and l18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 13:03
L20	10104	identif\$7 with (type near7 (mobile or portable or terminal or equipment or wireless or MS or MN or UE))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 13:05
L21	229576	(error or bug or clon\$4 or mismatch\$3 or improper) with (code or identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 13:06
L22	187	l20 same l21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 13:07
L23	1	l11 and l22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 13:07
L24	327	((identif\$7 or code) and (error or bug or mismatch\$3 or clon\$4 or stolen) and (request\$3 with (posit\$3 or locat\$3)) and (server or manag\$5)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 13:10

EAST Search History

L25	10	((identif\$7 or code) and (error or bug or mismatch\$3 or clon\$4 or stolen) and (request\$3 with (posit\$3 or locat\$3)) and (server or manag\$5) and (type near9 (mobile or wireless or equipment or portable or handset or cellular or MN or MS or UE))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 13:16
L26	3	((identif\$7 or code) and (error or bug or mismatch\$3 or clon\$4 or stolen) and (request\$3 with (posit\$3 or locat\$3)) and (server or manag\$5) and (type near9 (mobile or wireless or equipment or portable or handset or cellular or MN or MS or UE)) and stor\$3 and retriev\$3 and (memory or database or storage or server)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 13:20

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	36	(("455"/("456.1-456.6", "414.1", "433", "456.2").ccls.) and (identi\$8 or code program\$4) with (error or bug) and (retriv\$3 or extract\$3) and (stor\$3 or memory or database) and (request\$3 or receiv\$3 or recption or provid\$3 or provision\$3) and (locat\$3 or position\$3)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 20:52
L2	36	(("455"/("456.1-456.6", "414.1", "433", "456.2").ccls.) and (identi\$8 or code program\$4) with (error or bug) and (retriv\$3 or extract\$3) and (stor\$3 or memory or database) and (request\$3 or receiv\$3 or recption or provid\$3 or provision\$3) and (locat\$3 or position\$3) and (mobile or portable or cellular or wireless or laptop or terminal or UE or MN or MS or pda)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 20:53
L3	36	(("455"/("456.1-456.6", "414.1", "433", "456.2").ccls.) and (identi\$8 or code program\$4) with (error or bug) and (retriv\$3 or extract\$3) and (stor\$3 or memory or database) and (request\$3 or receiv\$3 or recption or provid\$3 or provision\$3) and (locat\$3 or position\$3) and (mobile or portable or cellular or wireless or laptop or terminal or UE or MN or MS or pda) and (server or manag\$5)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 20:55
L4	36	(("455"/("456.1-456.6", "414.1", "433", "456.2").ccls.) and (identi\$8 or code program\$4) and (error or bug) and (retriv\$3 or extract\$3) and (stor\$3 or memory or database) and (request\$3 or receiv\$3 or recption or provid\$3 or provision\$3) and (locat\$3 or position\$3) and (mobile or portable or cellular or wireless or laptop or terminal or UE or MN or MS or pda) and (server or manag\$5)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 20:55

EAST Search History

L5	0	((701/200-217).ccls.) and (identi\$8 or code program\$4) and (error or bug) and (retriv\$3 or extract\$3) and (stor\$3 or memory or database) and (request\$3 or receiv\$3 or recption or provid\$3 or provision\$3) and (locat\$3 or position\$3) and (mobile or portable or cellular or wireless or laptop or terminal or UE or MN or MS or pda) and (server or manag\$5)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 20:57
L6	0	((455/414.2).ccls.) and (identi\$8 or code program\$4) and (error or bug) and (retriv\$3 or extract\$3) and (stor\$3 or memory or database) and (request\$3 or receiv\$3 or recption or provid\$3 or provision\$3) and (locat\$3 or position\$3) and (mobile or portable or cellular or wireless or laptop or terminal or UE or MN or MS or pda) and (server or manag\$5)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 20:57